ELSEVIER

Volume 174, Issues 1–3, 25 May 2006

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Contents

Image processing for machine vision measurement of hot formed parts 1
S.B. Dworkin, T.J. Nye

Numerical simulation of the fluid flow, heat transfer, and solidification of twin-roll strip casting 7
Y.-C. Miao, X.-M. Zhang, H.-S. Di, G.-D. Wang

An abductive neural network approach to the design of runner dimensions for the minimization of wrappage in injection mouldings 14
C. Yen, J.C. Lin, W. Li, M.F. Huang

An abductive neural network approach to the design of runner dimensions for the minimization of warpage in injection mouldings 22
C. Yen, J.C. Lin, W. Li, M.F. Huang

Tool wear and surface finish in diamond cutting of optical glass 29
M. Zhou, B.K.A. Ngoi, M.N. Yusoff, X.J. Wang

Effect of shielding conditions of local dry cavity on weld quality in underwater Nd:YAG laser welding 34
X. Zhang, E. Ashida, S. Shono, F. Matsuda

Applications of hydroforming processes to automobile parts 42
S.-I. Oh, B.-H. Jeon, H.-Y. Kim, J.-B. Yang

Machining accuracy enhancement by compensating for volumetric errors of a machine tool and on-machine measurement 56
J.-H. Jung, J.-P. Choi, S.-J. Lee

Critical evaluation of indentation fracture toughness measurements with Vickers indenter on ceramic matrix composite tools 67
A. Gatto

Feature based integrated intelligent sequence design for cold extrusion 74
X.Q. Zhang, Y.H. Peng, X.Y. Ruan, K. Yamazaki

The influence of cutting parameters on residual stresses and surface topography during hard turning of 18MnCr5 case carburised steel ... 82
F. Gunnberg, M. Escursell, M. Jacobson

Experimental investigation of ink on powder used for selective laser sintering 91
L.W. Ming, I. Gibson

A finite element analysis of orthogonal rubber cutting 102
J. Yan, J.S. Strenkowski

Modeling and simulation of load heating in heat treatment furnaces 109
J. Kang, Y. Rong

Characterization of the strain-induced plastic anisotropy of rolled sheets by using sequences of simple shear and uniaxial tensile tests 115
S. Bouvier, B. Gardey, H. Haddadi, C. Teodosiu

Classification of molten pool modes in variable polarity plasma arc welding based on acoustic signature 127
E. Saad, H. Wang, R. Kovacevic

Inverse determination of temperature dependent thermal conductivity using network simulation method 137
J. Zueco, F. Alhama, C.F. González-Fernández

Optimisation of processing parameters in laser fused H13/Cu materials using response surface method (RSM) 145
V.E. Beal, P. Erasenthiran, N. Hopkinson, P. Dickens, C.H. Ahrens

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.

Elsevier B.V.

Modeling of turbulent heat transfer during the solidification process of continuous castings 155
M. Ruhul Amin, A. Mahajan

Effect of additive values of magnesium on fabrication of single phase $NdMgNi_4$ 167
S. Zhang, Y. Zhao, H. Zhou

Melt flow index on high molecular weight polyethylene: A comparative study of experiments and simulation 171
M.A. Barrera, J.F. Vega, M. Aguilar, J. Martínez-Salazar

Integrated approach for modelling cure and crystallization kinetics of different polymers in 3D pultrusion simulation 178
S.C. Joshi, Y.C. Lam

Evaluation of mechanical properties of uniform fabrics in garment manufacturing 183
C.K. Chan, X.Y. Jiang, K.L. Liew, L.K. Chan, W.K. Wong, M.P. Lau

A thermomechanical hot channel approach for friction stir welding 190
S. Mandal, K. Williamson

Predicting residual thermal stresses in friction stir welded metals 195
M.Z.H. Khandkar, J.A. Khan, A.P. Reynolds, M.A. Sutton

Three-point bend testing of HVOF AMDRY 9954 coating on Ti–6Al–4V alloy 204
D. Al-Anazi, M.S.J. Hashmi, B.S. Yilbas

Effect of corrosion prevention compounds on fatigue life in 2024-T3 aluminum alloy 211
M.A. Wahab, J.H. Park, M.S. Alam, S.S. Pang

High temperature gas nitridation of thermally sprayed coatings of Ti and Ti containing Ni5Al5Mo 218
S. Thongtem, P. Jentrakul, T. Thongtem

The influence of operator skills, process parameters and materials on clad shape in repair using laser cladding by wire 223
E. Capello, B. Previtali

Size effects from grain statistics in ultra-thin metal sheets 233
T. Fülöp, W.A.M. Brekelmans, M.G.D. Geers

Selection of optimal machining parameters for multi-tool milling operations using a memetic algorithm 239
N. Baskar, P. Asokan, R. Saravanan, G. Prabhaharan

Working range for sequences and series of two-symmetrical grooves in wire rod rolling 250
C. Eriksson

A method for stress space forming limit diagram construction for aluminum alloys 258
P.H. Matin, L.M. Smith, S. Petrusevski

Study on the twist compression forming of cylinder based on the upper bound and slab methods 266
C.-J. Chen, G.-Y. Tzou, M.-N. Huang

Abrasive wear of 2124Al–SiC composites in the temperature range 20–200 °C 272
M. Muratoğlu, M. Aksoy

Ensuring the integrity in clinching process 277
J. Varis

On the FE codes capability for tool temperature calculation in machining processes 286
L. Filice, D. Umbrello, S. Beccari, F. Micari

The effect of temper and chemical composition on polarization resistance of aluminum RR58 alloy 293
N.V. Jaukovic, V.D. Asanovic

Design and fabrication of anisotropic NdFeB magnets 296
Y. Li, M. Zhu, C.b. Song, M. Yao, H. Tian

The offset approach of machining free form surface. Part 1: Cylindrical cutter in five-axis NC machine tools 298
L.-X. Cao, H. Gong, J. Liu

Study of microstructure, phase and microhardness distribution of HVOF sprayed multi-modal structured and conventional WC–17Co coatings 305
P.K. Aw, B.H. Tan

Extrusion analysis and workability prediction of three-layer composite hexagonal clad rods 312
C.-W. Wu, R.-Q. Hsu

An investigation into the effect of various surface treatments on fatigue life of a tool steel 318
G.H. Farrahi, H. Ghadbeigi

Optimum pre-form dies in two-stage forging 325
M. Poursina, J. Parvizian, C.A.C. Antonio

Surface modification to improve friction and galling properties of forming tools 334
B. Podgornik, S. Hogmark

Prediction of residual stresses in quenched aluminum blocks and their reduction through cold working processes 342
M. Koç, J. Culp, T. Altan

Cycle time prediction in high-speed milling operations for sculptured surface finishing 355
H. Siller, C.A. Rodriguez, H. Ahuett

Analytical model for free form radii after deep and stretch drawing using pressurised membranes 363
M. Beckmann, F. Vollertsen

Grain refining of conventional and semi-solid A356 Al–Si alloy 371
S. Nafisi, R. Ghomashchi

Hydrodynamic wire coating using a tapered bore pressure unit 384
S. Akter, M.S.J. Hashmi

High strain rate superplasticity of a Zn–22 wt.%Al–*x* wt.%Ag alloys 389
S.R. Casolco, M.L. Parra, G. Torres Villaseñor

Feasibility of multi-layered tubular components forming by hydroforming and finite element simulation 394
M.D. Islam, A.G. Olabi, M.S.J. Hashmi

Austenite decomposition during press hardening of a boron steel—Computer simulation and test 399
P. Åkerström, M. Oldenburg

Author index 407

Subject index 409

ELSEVIER

Journal of Materials Processing Technology 174 (2006) 407–408

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 174

Aguilar, M., 171
Ahrens, C.H., 145
Ahuett, H., 355
Åkerström, P., 399
Aksoy, M., 272
Akter, S., 384
Al-Anazi, D., 204
Alam, M.S., 211
Alhama, F., 137
Altan, T., 342
Antonio, C.A.C., 325
Asanovic, V.D., 293
Ashida, E., 34
Asokan, P., 239
Aw, P.K., 305

Barrera, M.A., 171
Baskar, N., 239
Beal, V.E., 145
Beccari, S., 286
Beckmann, M., 363
Bouvier, S., 115
Brekelmans, W.A.M., 233

Cao, L.-X., 298
Capello, E., 223
Casolco, S.R., 389
Chan, C.K., 183
Chan, L.K., 183
Chen, C.-J., 266
Choi, J.-P., 56
Culp, J., 342

Di, H.-S., 7
Dickens, P., 145
Dworkin, S.B., 1

Erasenthiran, P., 145
Eriksson, C., 250
Escursell, M., 82

Farrahi, G.H., 318
Filice, L., 286
Fülöp, T., 233

Gardey, B., 115
Gatto, A., 67
Geers, M.G.D., 233
Ghadbeigi, H., 318
Ghomashchi, R., 371
Gibson, I., 91
Gong, H., 298
González-Fernández, C.F., 137
Gunnberg, F., 82

Haddadi, H., 115
Hashmi, M.S.J., 204, 384, 394
Hogmark, S., 334
Hopkinson, N., 145
Hsu, R.-Q., 312
Huang, M.-N., 266
Huang, M.F., 14, 22

Islam, M.D., 394

Jacobson, M., 82
Jaukovic, N.V., 293
Jentrakul, P., 218
Jeon, B.-H., 42
Jiang, X.Y., 183
Joshi, S.C., 178
Jung, J.-H., 56

Kang, J., 109
Khan, J.A., 195
Khandkar, M.Z.H., 195
Kim, H.-Y., 42
Koç, M., 342
Kovacevic, R., 127

Lam, Y.C., 178
Lau, M.P., 183
Lee, S.-J., 56
Li, W., 14, 22
Li, Y., 296
Liew, K.L., 183
Lin, J.C., 14, 22
Liu, J., 298

Mahajan, A., 155
Mandal, S., 190
Matin, P.H., 258
Martínez-Salazar, J., 171
Matsuda, F., 34
Miao, Y.-C., 7
Micari, F., 286
Ming, L.W., 91
Muratoğlu, M., 272

Nafisi, S., 371
Ngoi, B.K.A., 29
Nye, T.J., 1

Oh, S.-I., 42
Olabi, A.G., 394
Oldenburg, M., 399

Pang, S.S., 211
Park, J.H., 211
Parra, M.L., 389
Parvizian, J., 325
Peng, Y.H., 74
Petrusevski, S., 258
Podgornik, B., 334
Poursina, M., 325
Prabhaharan, G., 239
Previtali, B., 223

Reynolds, A.P., 195
Rodriguez, C.A., 355
Rong, Y., 109
Ruan, X.Y., 74
Ruhul Amin, M., 155

Saad, E., 127
Saravanan, R., 239
Shono, S., 34
Siller, H., 355
Smith, L.M., 258
Song, C.b., 296
Strenkowski, J.S., 102
Sutton, M.A., 195

Tan, B.H., 305
Teodosiu, C., 115
Thongtem, S., 218
Thongtem, T., 218
Tian, H., 296
Torres Villaseñor, G., 389
Tzou, G.-Y., 266

Umbrello, D., 286

Varis, J., 277
Vega, J.F., 171
Vollertsen, F., 363

Wahab, M.A., 211
Wang, G.-D., 7

Elsevier B.V.
doi:10.1016/S0924-0136(06)00328-1

Wang, H., 127
Wang, X.J., 29
Williamson, K., 190
Wong, W.K., 183
Wu, C.-W., 312

Yamazaki, K., 74
Yan, J., 102
Yang, J.-B., 42
Yao, M., 296
Yen, C., 14, 22
Yilbas, B.S., 204
Yusoff, M.N., 29

Zhang, S., 167
Zhang, X., 34
Zhang, X.-M., 7
Zhang, X.Q., 74
Zhao, Y., 167
Zhou, H., 167
Zhou, M., 29
Zhu, M., 296
Zueco, J., 137

ELSEVIER

Journal of Materials Processing Technology 174 (2006) 409–414

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 174

A356
Grain refining of conventional and semi-solid A356 Al–Si alloy, 371
AA-2024
Predicting residual thermal stresses in friction stir welded metals, 195
AA-6061
Predicting residual thermal stresses in friction stir welded metals, 195
Abductive network
An abductive neural network approach to the design of runner dimensions for the minimization of warpage in injection mouldings, 22
Abrasive wear
Abrasive wear of 2124Al–SiC composites in the temperature range 20–200 °C, 272
Acoustic sensing
Classification of molten pool modes in variable polarity plasma arc welding based on acoustic signature, 127
Al5Ti1B
Grain refining of conventional and semi-solid A356 Al–Si alloy, 371
Aluminum
Prediction of residual stresses in quenched aluminum blocks and their reduction through cold working processes, 342
Analytical approach
Analytical model for free form radii after deep and stretch drawing using pressurised membranes, 363
Anisotropic behaviour
Characterization of the strain-induced plastic anisotropy of rolled sheets by using sequences of simple shear and uniaxial tensile tests, 115
Anisotropic NdFeB magnet
Design and fabrication of anisotropic NdFeB magnets, 296
Artificial neural network
Feature based integrated intelligent sequence design for cold extrusion, 74
Austenite decomposition modelling
Austenite decomposition during press hardening of a boron steel—Computer simulation and test, 399

Boron steel
Austenite decomposition during press hardening of a boron steel—Computer simulation and test, 399

CAD/CAM
The offset approach of machining free form surface. Part 1: Cylindrical cutter in five-axis NC machine tools, 298
CAD/CAPP/CAE
Feature based integrated intelligent sequence design for cold extrusion, 74
Clad shape
The influence of operator skills, process parameters and materials on clad shape in repair using laser cladding by wire, 223
Clinching
Ensuring the integrity in clinching process, 277
Coating
Hydrodynamic wire coating using a tapered bore pressure unit, 384
Cold extrusion
Feature based integrated intelligent sequence design for cold extrusion, 74
Cold forging
An investigation into the effect of various surface treatments on fatigue life of a tool steel, 318
Color rapid prototyping
Experimental investigation of ink on powder used for selective laser sintering, 91
Computer vision
Image processing for machine vision measurement of hot formed parts, 1
Constant shear friction
Study on the twist compression forming of cylinder based on the upper bound and slab methods, 266
Coordinate measuring machine (CMM)
Machining accuracy enhancement by compensating for volumetric errors of a machine tool and on-machine measurement, 56
Corrosion
The effect of temper and chemical composition on polarization resistance of aluminum RR58 alloy, 293
Corrosion fatigue
Effect of corrosion prevention compounds on fatigue life in 2024-T3 aluminum alloy, 211
Corrosion prevention compounds (CPC)
Effect of corrosion prevention compounds on fatigue life in 2024-T3 aluminum alloy, 211
Crack growth
Effect of corrosion prevention compounds on fatigue life in 2024-T3 aluminum alloy, 211
Crack surface
Effect of corrosion prevention compounds on fatigue life in 2024-T3 aluminum alloy, 211
Crystal plasticity
Size effects from grain statistics in ultra-thin metal sheets, 233
Crystallization
Integrated approach for modelling cure and crystallization kinetics of different polymers in 3D pultrusion simulation, 178
Cure
Integrated approach for modelling cure and crystallization kinetics of different polymers in 3D pultrusion simulation, 178
Cusp height
The offset approach of machining free form surface. Part 1: Cylindrical cutter in five-axis NC machine tools, 298

Elsevier B.V.
doi:10.1016/S0924-0136(06)00329-3

Cutting
On the FE codes capability for tool temperature calculation in machining processes, 286
Cycle time
Cycle time prediction in high-speed milling operations for sculptured surface finishing, 355
Cylindrical cutter
The offset approach of machining free form surface. Part 1: Cylindrical cutter in five-axis NC machine tools, 298

Deep drawing
Analytical model for free form radii after deep and stretch drawing using pressurised membranes, 363
Deformation
Feasibility of multi-layered tubular components forming by hydroforming and finite element simulation, 394
Diamond turning
Tool wear and surface finish in diamond cutting of optical glass, 29
Dies
Cycle time prediction in high-speed milling operations for sculptured surface finishing, 355

Engine mount bracket
Applications of hydroforming processes to automobile parts, 42
Error compensation
Machining accuracy enhancement by compensating for volumetric errors of a machine tool and on-machine measurement, 56
Extrusion
Extrusion analysis and workability prediction of three-layer composite hexagonal clad rods, 312

Fatigue
An investigation into the effect of various surface treatments on fatigue life of a tool steel, 318
Fatigue life
Effect of corrosion prevention compounds on fatigue life in 2024-T3 aluminum alloy, 211
FE/NCV simulation approach
Integrated approach for modelling cure and crystallization kinetics of different polymers in 3D pultrusion simulation, 178
FEA
Feasibility of multi-layered tubular components forming by hydroforming and finite element simulation, 394
FEA predictions
Prediction of residual stresses in quenched aluminum blocks and their reduction through cold working processes, 342
FEM
Three-point bend testing of HVOF AMDRY 9954 coating on Ti–6Al–4V alloy, 204
On the FE codes capability for tool temperature calculation in machining processes, 286
Finite element analysis
A finite element analysis of orthogonal rubber cutting, 102
Five-axis NC machining
The offset approach of machining free form surface. Part 1: Cylindrical cutter in five-axis NC machine tools, 298
Flexibility
Working range for sequences and series of two-symmetrical grooves in wire rod rolling, 250
Formability
A method for stress space forming limit diagram construction for aluminum alloys, 258
Forming accuracy
Analytical model for free form radii after deep and stretch drawing using pressurised membranes, 363
Forming limit diagram
A method for stress space forming limit diagram construction for aluminum alloys, 258
Forming tools
Surface modification to improve friction and galling properties of forming tools, 334
Friction
Surface modification to improve friction and galling properties of forming tools, 334
Friction stir welding
A thermomechanical hot channel approach for friction stir welding, 190
Predicting residual thermal stresses in friction stir welded metals, 195
Functionally graded materials
Optimisation of processing parameters in laser fused H13/Cu materials using response surface method (RSM), 145
Furnace
Modeling and simulation of load heating in heat treatment furnaces, 109

Galling
Surface modification to improve friction and galling properties of forming tools, 334
Genetic algorithm
Selection of optimal machining parameters for multi-tool milling operations using a memetic algorithm, 239
Optimum pre-form dies in two-stage forging, 325
Glass
Tool wear and surface finish in diamond cutting of optical glass, 29
Grain refiner
Grain refining of conventional and semi-solid A356 Al–Si alloy, 371

Hard turning
The influence of cutting parameters on residual stresses and surface topography during hard turning of 18MnCr5 case carburised steel, 82
Hardness estimation
Austenite decomposition during press hardening of a boron steel—Computer simulation and test, 399
Heat transfer
Modeling and simulation of load heating in heat treatment furnaces, 109
Modeling of turbulent heat transfer during the solidification process of continuous castings, 155
Heat treatment
Modeling and simulation of load heating in heat treatment furnaces, 109
Heat-resistant aluminum alloys
The effect of temper and chemical composition on polarization resistance of aluminum RR58 alloy, 293
Hexagon clad rod
Extrusion analysis and workability prediction of three-layer composite hexagonal clad rods, 312
High temperature gas nitridation
High temperature gas nitridation of thermally sprayed coatings of Ti and Ti containing Ni5Al5Mo, 218
High-speed machining
Cycle time prediction in high-speed milling operations for sculptured surface finishing, 355
High-speed milling
Cycle time prediction in high-speed milling operations for sculptured surface finishing, 355
Hill climbing algorithm
Selection of optimal machining parameters for multi-tool milling operations using a memetic algorithm, 239

Hot deformation
Design and fabrication of anisotropic NdFeB magnets, 296
HSRS
High strain rate superplasticity of a Zn–22 wt.%Al–*x* wt.%Ag alloys, 389
HVOF coating
Three-point bend testing of HVOF AMDRY 9954 coating on Ti–6Al–4V alloy, 204
Hydrodynamic
Hydrodynamic wire coating using a tapered bore pressure unit, 384
Hydroforming
Applications of hydroforming processes to automobile parts, 42
Analytical model for free form radii after deep and stretch drawing using pressurised membranes, 363
Feasibility of multi-layered tubular components forming by hydroforming and finite element simulation, 394

Image processing
Image processing for machine vision measurement of hot formed parts, 1
Infrared sensor
Image processing for machine vision measurement of hot formed parts, 1
Ink-jet printing
Experimental investigation of ink on powder used for selective laser sintering, 91
Inverse problem
Inverse determination of temperature dependent thermal conductivity using network simulation method, 137

Kawabata Evaluation System
Evaluation of mechanical properties of uniform fabrics in garment manufacturing, 183

Lanthanides
The effect of temper and chemical composition on polarization resistance of aluminum RR58 alloy, 293
Laser cladding by wire
The influence of operator skills, process parameters and materials on clad shape in repair using laser cladding by wire, 223
Laser fusion
Optimisation of processing parameters in laser fused H13/Cu materials using response surface method (RSM), 145
Layer manufacturing
Optimisation of processing parameters in laser fused H13/Cu materials using response surface method (RSM), 145
Line contact
The offset approach of machining free form surface. Part 1: Cylindrical cutter in five-axis NC machine tools, 298
Local dry cavity
Effect of shielding conditions of local dry cavity on weld quality in underwater Nd:YAG laser welding, 34

Mass-production
Ensuring the integrity in clinching process, 277
Measurements
Image processing for machine vision measurement of hot formed parts, 1
Melt flow index
Melt flow index on high molecular weight polyethylene: A comparative study of experiments and simulation, 171
Membrane method
Analytical model for free form radii after deep and stretch drawing using pressurised membranes, 363
Memetic algorithm
Selection of optimal machining parameters for multi-tool milling operations using a memetic algorithm, 239
MEMS
Size effects from grain statistics in ultra-thin metal sheets, 233
Metal matrix composite
Abrasive wear of 2124Al–SiC composites in the temperature range 20–200 °C, 272
Micro genetic algorithm
Feature based integrated intelligent sequence design for cold extrusion, 74
Micro-forming
Size effects from grain statistics in ultra-thin metal sheets, 233
Microhardness
Study of microstructure, phase and microhardness distribution of HVOF sprayed multi-modal structured and conventional WC–17Co coatings, 305
Microstructure
Three-point bend testing of HVOF AMDRY 9954 coating on Ti–6Al–4V alloy, 204
Miniaturization
Size effects from grain statistics in ultra-thin metal sheets, 233
Modeling
Modeling and simulation of load heating in heat treatment furnaces, 109
Molds
Cycle time prediction in high-speed milling operations for sculptured surface finishing, 355
Multi-layered
Feasibility of multi-layered tubular components forming by hydroforming and finite element simulation, 394
Multi-modal
Study of microstructure, phase and microhardness distribution of HVOF sprayed multi-modal structured and conventional WC–17Co coatings, 305
Multi-tool milling
Selection of optimal machining parameters for multi-tool milling operations using a memetic algorithm, 239

Nanostructured
Study of microstructure, phase and microhardness distribution of HVOF sprayed multi-modal structured and conventional WC–17Co coatings, 305
Nd:YAG laser
Effect of shielding conditions of local dry cavity on weld quality in underwater Nd:YAG laser welding, 34
$NdMgNi_4$ single phase
Effect of additive values of magnesium on fabrication of single phase $NdMgNi_4$, 167
Network simulation method
Inverse determination of temperature dependent thermal conductivity using network simulation method, 137
Neural networks
Classification of molten pool modes in variable polarity plasma arc welding based on acoustic signature, 127
Nitriding
An investigation into the effect of various surface treatments on fatigue life of a tool steel, 318
Nitrocarburizing
An investigation into the effect of various surface treatments on fatigue life of a tool steel, 318
Numerical simulation
Melt flow index on high molecular weight polyethylene: A comparative study of experiments and simulation, 171

On-machine measurement (OMM)
Machining accuracy enhancement by compensating for volumetric errors of a machine tool and on-machine measurement, 56

Open die forging
Image processing for machine vision measurement of hot formed parts, 1
Optimisation
Selection of optimal machining parameters for multi-tool milling operations using a memetic algorithm, 239
Optimum pre-form dies in two-stage forging, 325
Orthogonal cutting
A finite element analysis of orthogonal rubber cutting, 102

Parametric error model
Machining accuracy enhancement by compensating for volumetric errors of a machine tool and on-machine measurement, 56
Polarization resistance
The effect of temper and chemical composition on polarization resistance of aluminum RR58 alloy, 293
Polyethylene
Melt flow index on high molecular weight polyethylene: A comparative study of experiments and simulation, 171
Polymer–matrix composites
Integrated approach for modelling cure and crystallization kinetics of different polymers in 3D pultrusion simulation, 178
Post-diffuse necking material property
A method for stress space forming limit diagram construction for aluminum alloys, 258
Pre-heating
A thermomechanical hot channel approach for friction stir welding, 190
Press hardening
Austenite decomposition during press hardening of a boron steel—Computer simulation and test, 399
Pultrusion
Integrated approach for modelling cure and crystallization kinetics of different polymers in 3D pultrusion simulation, 178

Quality
Ensuring the integrity in clinching process, 277
Quality control
Image processing for machine vision measurement of hot formed parts, 1
Quenching
Prediction of residual stresses in quenched aluminum blocks and their reduction through cold working processes, 342

Relative process cost
Feature based integrated intelligent sequence design for cold extrusion, 74
Residual stresses
The influence of cutting parameters on residual stresses and surface topography during hard turning of 18MnCr5 case carburised steel, 82
Prediction of residual stresses in quenched aluminum blocks and their reduction through cold working processes, 342
Response surface methodology
Optimisation of processing parameters in laser fused H13/Cu materials using response surface method (RSM), 145
Rheology
Melt flow index on high molecular weight polyethylene: A comparative study of experiments and simulation, 171
Roll pass design
Working range for sequences and series of two-symmetrical grooves in wire rod rolling, 250
Rolled metal sheet
Characterization of the strain-induced plastic anisotropy of rolled sheets by using sequences of simple shear and uniaxial tensile tests, 115
Rubber
A finite element analysis of orthogonal rubber cutting, 102
Runner system
An abductive neural network approach to the design of runner dimensions for the minimization of wrappage in injection mouldings, 14
An abductive neural network approach to the design of runner dimensions for the minimization of warpage in injection mouldings, 22

Scanning electron microscope (SEM)
Effect of corrosion prevention compounds on fatigue life in 2024-T3 aluminum alloy, 211
Sculptured surfaces
Cycle time prediction in high-speed milling operations for sculptured surface finishing, 355
SEED process
Grain refining of conventional and semi-solid A356 Al–Si alloy, 371
Selective laser sintering
Experimental investigation of ink on powder used for selective laser sintering, 91
Semi-solid
Grain refining of conventional and semi-solid A356 Al–Si alloy, 371
Sheet metal forming
A method for stress space forming limit diagram construction for aluminum alloys, 258
Analytical model for free form radii after deep and stretch drawing using pressurised membranes, 363
Shot peening
An investigation into the effect of various surface treatments on fatigue life of a tool steel, 318
Simple shear
Characterization of the strain-induced plastic anisotropy of rolled sheets by using sequences of simple shear and uniaxial tensile tests, 115
Simulated annealing
An abductive neural network approach to the design of runner dimensions for the minimization of warpage in injection mouldings, 22
Simulation
Feasibility of multi-layered tubular components forming by hydroforming and finite element simulation, 394
Single stage
Design and fabrication of anisotropic NdFeB magnets, 296
Size effects
Size effects from grain statistics in ultra-thin metal sheets, 233
Slab method
Study on the twist compression forming of cylinder based on the upper bound and slab methods, 266
Solidification
Numerical simulation of the fluid flow, heat transfer, and solidification of twin-roll strip casting, 7
Modeling of turbulent heat transfer during the solidification process of continuous castings, 155
SS 304 L
Predicting residual thermal stresses in friction stir welded metals, 195
Stress relief
Prediction of residual stresses in quenched aluminum blocks and their reduction through cold working processes, 342
Strip casting
Numerical simulation of the fluid flow, heat transfer, and solidification of twin-roll strip casting, 7
Subframe
Applications of hydroforming processes to automobile parts, 42
Superplasticity
High strain rate superplasticity of a Zn–22 wt.%Al–*x* wt.%Ag alloys, 389

Surface engineering
Surface modification to improve friction and galling properties of forming tools, 334
Surface roughness
The influence of cutting parameters on residual stresses and surface topography during hard turning of 18MnCr5 case carburised steel, 82

Taguchi method
Design and fabrication of anisotropic NdFeB magnets, 296
Tapered bore pressure unit
Hydrodynamic wire coating using a tapered bore pressure unit, 384
Technological nomogram
The influence of operator skills, process parameters and materials on clad shape in repair using laser cladding by wire, 223
Temperature
Abrasive wear of 2124Al–SiC composites in the temperature range 20–200 °C, 272
Temperature in machining
On the FE codes capability for tool temperature calculation in machining processes, 286
Ternary compound
Effect of additive values of magnesium on fabrication of single phase $NdMgNi_4$, 167
The asymptotic direction
The offset approach of machining free form surface. Part 1: Cylindrical cutter in five-axis NC machine tools, 298
Thermal analysis
Integrated approach for modelling cure and crystallization kinetics of different polymers in 3D pultrusion simulation, 178
Thermal conductivity
Inverse determination of temperature dependent thermal conductivity using network simulation method, 137
Thermal spray
Study of microstructure, phase and microhardness distribution of HVOF sprayed multi-modal structured and conventional WC–17Co coatings, 305
Thermal stress
Predicting residual thermal stresses in friction stir welded metals, 195
Thermally sprayed coatings
High temperature gas nitridation of thermally sprayed coatings of Ti and Ti containing Ni5Al5Mo, 218
Thermomechanical hot channel
A thermomechanical hot channel approach for friction stir welding, 190
Three-point bending
Three-point bend testing of HVOF AMDRY 9954 coating on Ti–6Al–4V alloy, 204
Tie bar
Applications of hydroforming processes to automobile parts, 42
Titanium nitride(s)
High temperature gas nitridation of thermally sprayed coatings of Ti and Ti containing Ni5Al5Mo, 218
Tool path
Cycle time prediction in high-speed milling operations for sculptured surface finishing, 355
Tool repair
The influence of operator skills, process parameters and materials on clad shape in repair using laser cladding by wire, 223
Tool steel
An investigation into the effect of various surface treatments on fatigue life of a tool steel, 318
Tool wear
Tool wear and surface finish in diamond cutting of optical glass, 29
A thermomechanical hot channel approach for friction stir welding, 190
Touch trigger probe
Machining accuracy enhancement by compensating for volumetric errors of a machine tool and on-machine measurement, 56
Turbulence
Numerical simulation of the fluid flow, heat transfer, and solidification of twin-roll strip casting, 7
Modeling of turbulent heat transfer during the solidification process of continuous castings, 155
Twin-roll
Numerical simulation of the fluid flow, heat transfer, and solidification of twin-roll strip casting, 7
Twist compression forming
Study on the twist compression forming of cylinder based on the upper bound and slab methods, 266
Two-stage forging
Optimum pre-form dies in two-stage forging, 325
Two-stage mechanical test
Characterization of the strain-induced plastic anisotropy of rolled sheets by using sequences of simple shear and uniaxial tensile tests, 115

Ultrasonic vibration cutting
Tool wear and surface finish in diamond cutting of optical glass, 29
Underwater welding
Effect of shielding conditions of local dry cavity on weld quality in underwater Nd:YAG laser welding, 34
Uniform
Evaluation of mechanical properties of uniform fabrics in garment manufacturing, 183
Upper bound method
Study on the twist compression forming of cylinder based on the upper bound and slab methods, 266

VPPAW
Classification of molten pool modes in variable polarity plasma arc welding based on acoustic signature, 127

Warp
An abductive neural network approach to the design of runner dimensions for the minimization of warpage in injection mouldings, 22
Water curtain
Effect of shielding conditions of local dry cavity on weld quality in underwater Nd:YAG laser welding, 34
Weibull distribution
Study of microstructure, phase and microhardness distribution of HVOF sprayed multi-modal structured and conventional WC–17Co coatings, 305
Weld quality
Effect of shielding conditions of local dry cavity on weld quality in underwater Nd:YAG laser welding, 34
Welding pool mode
Classification of molten pool modes in variable polarity plasma arc welding based on acoustic signature, 127
Wire rods
Working range for sequences and series of two-symmetrical grooves in wire rod rolling, 250
Workability
Extrusion analysis and workability prediction of three-layer composite hexagonal clad rods, 312
Working range
Working range for sequences and series of two-symmetrical grooves in wire rod rolling, 250

XRD analysis
Effect of additive values of magnesium on fabrication of single phase $NdMgNi_4$, 167

Zinag
High strain rate superplasticity of a Zn–22 wt.%Al–*x* wt.%Ag alloys, 389
Zirconium
The effect of temper and chemical composition on polarization resistance of aluminum RR58 alloy, 293
Zn–Al–Ag
High strain rate superplasticity of a Zn–22 wt.%Al–*x* wt.%Ag alloys, 389